

Vacuum glass lifter

Model


VB4 RCEBE d4



positions, thanks to four extension arms.








The VB4 RCEBE d4 is a battery-powered vacuum lifter with **continuous 360° electric rotation and powered tilt**. The rechargeable batteries can be easily removed and quickly replaced. The suction pads can be positioned in two different positions or in the PRO version, in four

The suction, release, tilting and rotating commands are controlled by **wireless radio remote control**. VB4 RCEBE d4 600kg is a specific vacuum glass lifter for construction site use with **dual vacuum circuit** according to EN13155.

The same model is also available with vacuum pads d. 310 mm and 400kg capacity (mod. VB4RCEBE).







Vacuum glass lifter

Technical drawing

Configuration A



Configuration B



Technical specification

Application	Glass panels
Lifting capacity	Max 600 kg
Suction pads	No. 4 round suction pads diameter 390 mm
	Lipped pads with safety ring
Pad spread	A mm 795x1019
	B mm 941x1246
Load movement	Continuous 360 degrees powered rotation
	90 degrees powered tilt
Operating system	DC vacuum pump powered from on-board batteries
	High capacity re-chargeable batteries
	Battery status indicator
	Economizer for reduction of the energy consumption
Vacuum system	2 independent vacuum circuits, each vacuum circuit with vacuum reserve and non return valve
Weight of lifter	Kg 140
Structural depth	mm 614
Control	Radio remote control
	Release of the load by dual action security command
Standard features	Audible and visual low vacuum warning devices
	Vacuum gauge for each vacuum circuit
	Battery charger 240 Volt
	Vacuum filter